Stage 1 Assessment:

Summary Sheet: Stage 1 Assessment

Settlement:	Weston	Rhvn	and	Rhoswiel
-------------	--------	------	-----	----------

Site Ref	Site Name	Stage 2	Comments
WRN001	Land off High Street	Yes	
WRN002	Land adj. The Croft	No	Too small
WRN003	The Vicarage, Vicarage Lane	No	Too small
WRN004	Land between Brooklands and The Rise	Yes	
WRN005	Land off Trehowell Lane	Yes	
WRN006	Land south of Vicarage Lane	Yes	
WRN007	Land south of School Playing Field	No	Not promoted
WRN008	Land to rear of Earlshaw, High Street	Yes	
WRN009	Land at Field View, Old Chirk Road	No	Too small
WRN010	Land south of Brookfields and Aspen Grange	Yes	
WRN011	Land west of Preesgweene Hall	No	Not promoted
WRN012	Land at Preesgweene Railway Crossing	Yes	
WRN013	Land East of Birchwood House	No	Not promoted
WRN014	Land rear of Glen Deg	Yes	
WRN015	Land rear of former DM & Oakley Premises	Yes	
WRN016	Land at the Sawmills	Yes	
WRN017	Land at Moreton Hall School	No	Not well related to settlements
WRN018	Land south of Mount View, Preesgweene	Yes	
WRN019	Land rear of Station House	Yes	
WRN020	Land at The Firs Rhoswiel	No	Too small
WRN021	Land north of Rhoswiel	Yes	
WRN022	Land west of Berlian Close	No	Too small
WRN023	Land at Anvic House	No	Too small and already gained permission
WRN024	Land at Moreton house	No	Too small and already gained outline permission
WRN025	Land at Silverdale	Yes	

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN001		Site Name: Land off High Street	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	3.81ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Site is adjacent to development boundary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable			
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable			
9	Site not currently promoted	N		

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN002		Site Name: Land adj. The Croft	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	Υ	0.11ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Wholly within development boundary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable			
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable			
9	Site not currently promoted	N		

Recommendation: Do not progress to Stage 2 assessment- too small.

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN003		ne: The Vicarage, Vicarage Lane
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	Υ	0.19ha
2	Site developed, or under construction or permission has	N	
	been granted but not yet implemented		
3	Site not well related to the current development boundary	N	Wholly within development boundary
	(where applicable) of; Shrewsbury; a market town; a key		
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
	remainder of the site is unlikely to be developable		
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
	unlikely to be developable		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N	
	Local Nature Reserve; Ancient Woodland or a Regionally		
	Important Geological Site such that the remainder of the		
	site is unlikely to be developable		
7	Site wholly or partly within either a Scheduled Ancient	N	
	Monument or a Registered Park or Garden such that the		
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	N	

Recommendation: Do not progress to Stage 2 assessment- too small.

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN004		Site Name: Land between Brooklands and The Rise	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	0.78ha	
2	Site developed, or under construction or permission has been granted but not yet implemented	N		
3	Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster.	N	Small part of site is within development boundary	
4	Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable	N		
5	Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable	N		
6	Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable	N		
7	Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable	N		
8	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the remainder is unlikely to be developable	N		
9	Site not currently promoted	N		

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN005		Site Name: Land off Trehowell Lane	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	4.15ha	
2	Site developed, or under construction or permission has been granted but not yet implemented	N		
3	Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster.	N	Site is adjacent to development boundary	
4	Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable	N		
5	Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable	N		
6	Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable	N		
7	Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable	N		
8	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the remainder is unlikely to be developable	N		
9	Site not currently promoted	N		

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN006		ne: Land south of Vicarage Lane
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	N	2.14ha
2	Site developed, or under construction or permission has	N	
	been granted but not yet implemented	N.I	Oits is a discount to develop as and house down
3	Site not well related to the current development boundary	N	Site is adjacent to development boundary
	(where applicable) of; Shrewsbury; a market town; a key		
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
	remainder of the site is unlikely to be developable		
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
	unlikely to be developable		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N	
	Local Nature Reserve; Ancient Woodland or a Regionally		
	Important Geological Site such that the remainder of the		
	site is unlikely to be developable		
7	Site wholly or partly within either a Scheduled Ancient	N	
	Monument or a Registered Park or Garden such that the		
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	N	

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN007		me: Land south of School Playing Field
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	N	1.46ha
2	Site developed, or under construction or permission has been granted but not yet implemented	N	
3	Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster.	N	Site is adjacent to development boundary
4	Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable	N	
5	Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable	N	
6	Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable	N	
7	Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable	N	
8	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the remainder is unlikely to be developable	N	
9	Site not currently promoted	Υ	

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN008		Site Name: Land to rear of Earlshaw, High Street	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	0.27ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Site is adjacent to development boundary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable			
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable			
9	Site not currently promoted	N		

Stage 1 Site Assessment: Weston Rhyn

Site ref: WRN009		Site Name: Land at Field View, Old Chirk Road	
Criteria	Y/N	Comments	
Site less than 0.2 ha in size	Υ	0.10ha	
Site developed, or under construction or permission has	N		
been granted but not yet implemented			
	N	Site is adjacent to development boundary	
· · · · · · · · · · · · · · · · · · ·			
	N		
•			
, ,			
	N		
	N		
	NI		
	IN		
<u> </u>			
	N		
	14		
•			
	N		
	Site less than 0.2 ha in size Site developed, or under construction or permission has	Site less than 0.2 ha in size Site developed, or under construction or permission has been granted but not yet implemented Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster. Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that that the remainder is unlikely to be developable	

Recommendation: Do not progress to Stage 2 assessment- too small.

Stage 1 Site Assessment: Weston Rhyn

Site	Site ref: WRN010		Site Name: Land south of Brookfields and Aspen Grange	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	2.94ha	
2	Site developed, or under construction or permission has been granted but not yet implemented	N		
3	Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster.	N	Site is adjacent to development boundary	
4	Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable	N		
5	Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable	N		
6	Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable	N		
7	Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable	N		
8	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the remainder is unlikely to be developable	N		
9	Site not currently promoted	N		

Stage 1 Site Assessment: Weston Rhyn

Site	ref: WRN011	Site Name: Land west of Preesgweene Hall	
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	N	1.27ha
2	Site developed, or under construction or permission has	N	
	been granted but not yet implemented		
3	Site not well related to the current development boundary	N	Small part of site is within development boundary
	(where applicable) of; Shrewsbury; a market town; a key		
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
	remainder of the site is unlikely to be developable		
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
	unlikely to be developable		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N	
	Local Nature Reserve; Ancient Woodland or a Regionally		
	Important Geological Site such that the remainder of the		
	site is unlikely to be developable		
7	Site wholly or partly within either a Scheduled Ancient	N	
	Monument or a Registered Park or Garden such that the		
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	Υ	

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN012		Site Name: Land at Preesgweene Railway Crossing	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	0.25ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Contiguous with a site which is directly adjacent to current	
	(where applicable) of; Shrewsbury; a market town; a key		development boundary.	
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable	N.I.		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
'	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable			
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable			
9	Site not currently promoted	N		

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN013		Site Name: Land East of Birchwood House	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	0.25ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Partial within settlement boudnary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
_	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
-	site is unlikely to be developable	N.I.		
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
0	remainder of the site is unlikely to be developable	N.I.		
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
0	remainder is unlikely to be developable	Y		
9	Site not currently promoted	ľ		

Stage 1 Site Assessment: Rhoswiel

Site	ref: WRN014	Site Name: Land rear of Glen Deg	
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	N	0.81ha
2	Site developed, or under construction or permission has	N	
	been granted but not yet implemented		
3	Site not well related to the current development boundary	N	Directly adjacent to settlement boundary
	(where applicable) of; Shrewsbury; a market town; a key		
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
_	remainder of the site is unlikely to be developable	N.I	
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
6	unlikely to be developable Site wholly or partly within; a Shropshire Wildlife Site; a	N	
0	Local Nature Reserve; Ancient Woodland or a Regionally	IN	
	Important Geological Site such that the remainder of the		
	site is unlikely to be developable		
7	Site wholly or partly within either a Scheduled Ancient	N	
	Monument or a Registered Park or Garden such that the		
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	N	

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN015		Site Name: Land rear of former DM & Oakley Premises	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	0.58ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Directly adjacent to settlement boundary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
_	remainder of the site is unlikely to be developable	N.1		
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
6	unlikely to be developable Site wholly or partly within; a Shropshire Wildlife Site; a	N		
0	Local Nature Reserve; Ancient Woodland or a Regionally	IN		
	Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
•	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable			
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable			
9	Site not currently promoted	N		

Stage 1 Site Assessment: Rhoswiel

Site	ref: WRN016	Site Name: Land at the Sawmills	
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	N	2.86ha
2	Site developed, or under construction or permission has	N	
	been granted but not yet implemented		
3	Site not well related to the current development boundary	N	Majority of site is directly adjacent to settlement boundary,
	(where applicable) of; Shrewsbury; a market town; a key		with small part within boundary.
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
	remainder of the site is unlikely to be developable		
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
	unlikely to be developable	N 1	
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N	
	Local Nature Reserve; Ancient Woodland or a Regionally		
	Important Geological Site such that the remainder of the		
7	site is unlikely to be developable Site wholly or partly within either a Scheduled Ancient	N	
'	Monument or a Registered Park or Garden such that the	IN	
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
~	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	N	

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN017		Site Name: Land at Moreton Hall School	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	2.57ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	Υ	The site is not well related to the existing development.	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
_	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable	N.I		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
'	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable			
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable			
9	Site not currently promoted	N		

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN018		Site Name: Land south of Mount View, Preesgweene	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	0.32ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Directly adjacent to Weston Rhyn development boundary.	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
7	site is unlikely to be developable	N.I		
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
8	remainder of the site is unlikely to be developable	N		
0	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the	IN		
	remainder is unlikely to be developable			
9	Site not currently promoted	N		
J	Oile not carrently promoted	I N		

Stage 1 Site Assessment: Weston Rhyn

Site	ref: WRN019	Site Name: Land rear of Station House	
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	N	0.23ha
2	Site developed, or under construction or permission has	N	
	been granted but not yet implemented		
3	Site not well related to the current development boundary	N	Half of the site is within development boundary
	(where applicable) of; Shrewsbury; a market town; a key		
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
	remainder of the site is unlikely to be developable		
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
	unlikely to be developable		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N	
	Local Nature Reserve; Ancient Woodland or a Regionally		
	Important Geological Site such that the remainder of the		
	site is unlikely to be developable		
7	Site wholly or partly within either a Scheduled Ancient	N	
	Monument or a Registered Park or Garden such that the		
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	N	

Stage 1 Site Assessment: Rhoswiel

Site	ref: WRN020	Site Name: Land at The Firs Rhoswiel	
No.	Criteria	Y/N	Comments
1	Site less than 0.2 ha in size	Υ	0.03ha
2	Site developed, or under construction or permission has	N	
2	been granted but not yet implemented	N.I	Diversity adjacent to actilement houndary
3	Site not well related to the current development boundary	N	Directly adjacent to settlement boundary
	(where applicable) of; Shrewsbury; a market town; a key		
	centre; a hub or an area covered by a cluster.		
4	Site wholly or partly within a Special Area of Conservation,	N	
	a Special Protection Area or a Ramsar Site such that the		
	remainder of the site is unlikely to be developable		
5	Site wholly or partly within either a SSSI or a National	N	
	Nature Reserve such that the remainder of the site is		
	unlikely to be developable		
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N	
	Local Nature Reserve; Ancient Woodland or a Regionally		
	Important Geological Site such that the remainder of the		
	site is unlikely to be developable		
7	Site wholly or partly within either a Scheduled Ancient	N	
	Monument or a Registered Park or Garden such that the		
	remainder of the site is unlikely to be developable		
8	Site is either wholly within Flood Zone 3, or a significant	N	
	part of the site is within Flood Zone 3 - such that that the		
	remainder is unlikely to be developable		
9	Site not currently promoted	N	

Recommendation: Do Not Progress to Stage 2 assessment- too small.

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN021		Site Name: Land north of Rhoswiel	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	N	22.87ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Small part of site within development boundary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
7	site is unlikely to be developable	N.I.		
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
8	remainder of the site is unlikely to be developable Site is either wholly within Flood Zone 3, or a significant	N		
0	part of the site is within Flood Zone 3 - such that the	IN IN		
	remainder is unlikely to be developable			
9	Site not currently promoted	N		
J	Tolle her carrettly promoted	1 4		

Stage 1 Site Assessment: Rhoswiel

Site	Site ref: WRN022		Site Name: Land west of Berllan Close	
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	Υ	0.12ha	
2	Site developed, or under construction or permission has	N		
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Directly adjacent to the development boundary.	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
7	site is unlikely to be developable	NI		
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
8	remainder of the site is unlikely to be developable Site is either wholly within Flood Zone 3, or a significant	N		
0	part of the site is within Flood Zone 3 - such that that the	IN		
	remainder is unlikely to be developable			
9	Site not currently promoted	N		
9	Total not carrently promoted	1 1		

Recommendation: Do Not Progress to Stage 2 assessment- too small.

Stage 1 Site Assessment: Rhoswiel

Site	ref: WRN023	Site Name: Land at Anvic House		
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	Υ	0.06ha	
2	Site developed, or under construction or permission has	Υ	Permission granted for Bungalow (OS/07/15325)	
	been granted but not yet implemented			
3	Site not well related to the current development boundary	N	Directly adjacent to settlement boundary	
	(where applicable) of; Shrewsbury; a market town; a key			
	centre; a hub or an area covered by a cluster.			
4	Site wholly or partly within a Special Area of Conservation,	N		
	a Special Protection Area or a Ramsar Site such that the			
	remainder of the site is unlikely to be developable			
5	Site wholly or partly within either a SSSI or a National	N		
	Nature Reserve such that the remainder of the site is			
	unlikely to be developable			
6	Site wholly or partly within; a Shropshire Wildlife Site; a	N		
	Local Nature Reserve; Ancient Woodland or a Regionally			
	Important Geological Site such that the remainder of the			
	site is unlikely to be developable			
7	Site wholly or partly within either a Scheduled Ancient	N		
	Monument or a Registered Park or Garden such that the			
	remainder of the site is unlikely to be developable	N.I		
8	Site is either wholly within Flood Zone 3, or a significant	N		
	part of the site is within Flood Zone 3 - such that that the			
	remainder is unlikely to be developable	N.1		
9	Site not currently promoted	N		

Recommendation: Do Not Progress to Stage 2 assessment- too small and already developed.

Stage 1 Site Assessment: Weston Rhyn

Site	ref: WRN024	Site Name: Land at Moreton house		
No.	Criteria	Y/N	Comments	
1	Site less than 0.2 ha in size	Υ	0.06ha	
2	Site developed, or under construction or permission has been granted but not yet implemented	Y	Outline permission granted- single dwelling (12/04014/OUT)	
3	Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster.	N	Contiguous with a site which is directly adjacent to the current development boundary	
4	Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable	N		
5	Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable	N		
6	Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable	N		
7	Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable	N		
8	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the remainder is unlikely to be developable	N		
9	Site not currently promoted	N		

Recommendation: Do not progress to Stage 2 assessment- too small and outline permission already granted.

Stage 1 Site Assessment: Weston Rhyn

Site	ref: WRN025	Site Name: Land at Silverdale			
No.	Criteria	Y/N	Comments		
1	Site less than 0.2 ha in size	N	1.65ha		
2	Site developed, or under construction or permission has	N			
3	Site not well related to the current development boundary (where applicable) of; Shrewsbury; a market town; a key centre; a hub or an area covered by a cluster.	N	Small part of site is within development boundary		
4	Site wholly or partly within a Special Area of Conservation, a Special Protection Area or a Ramsar Site such that the remainder of the site is unlikely to be developable	N			
5	Site wholly or partly within either a SSSI or a National Nature Reserve such that the remainder of the site is unlikely to be developable	N			
6	Site wholly or partly within; a Shropshire Wildlife Site; a Local Nature Reserve; Ancient Woodland or a Regionally Important Geological Site such that the remainder of the site is unlikely to be developable	N			
7	Site wholly or partly within either a Scheduled Ancient Monument or a Registered Park or Garden such that the remainder of the site is unlikely to be developable	N			
8	Site is either wholly within Flood Zone 3, or a significant part of the site is within Flood Zone 3 - such that the remainder is unlikely to be developable	N			
9	Site not currently promoted	N			

Note for Stage 1 assessment:

- 1. Currently promoted is defined as information submitted through any one of the following mechanisms:
 - i) Predecessor local authority Local Plan Reviews or Local Development Framework preparation and subsequently confirmed to Shropshire Council
 - ii) SAMDev Issues and Options responses
 - iii) SHLAA call for sites and subsequently confirmed to Shropshire Council
 - iv) Shropshire Council's Employment Land Review

Housing Sites Assessment: Stage 2a

Site	ref: WRN001	Site Name: Land off High Street		
	Criteria	SA	Assessment	Comments
		Score		
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	-	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	 an area of natural and semi-natural open space 	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	 a young people's recreational facility 	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	+	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information	0	0	
	available, in which case, an assessment may be			
	needed)		=	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	Site ref: WRN001		Site Name: Land off High Street			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	0			
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	-	Within SAC buffer zone (northern part of site)		
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0			
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0			
10	Part of the site is within Flood Zone 3	-				
	All or part of the site is within Flood Zone 2	0	+			
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+				
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3		
12a	Site wholly or partly on a current or previous landfill site	/0	0			
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0			
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0			

Site	Assessment: Stage 2a		Settlement: Weston Rhyn	
Site	ref: WRN004	Site Nan	ne: Land betwe	een Brooklands and The Rise
	Criteria	SA Score	Assessment	Comments
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	-	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	an area of natural and semi-natural open space	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	a young people's recreational facility	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	+	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	+	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site ref: WRN004		Site Nam	Site Name: Land between Brooklands and The Rise			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	0			
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0			
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0			
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0			
10	Part of the site is within Flood Zone 3	-				
	All or part of the site is within Flood Zone 2 Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	0 +	+			
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3		
12a	Site wholly or partly on a current or previous landfill site	/0	0			
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0			
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0			

Site Assessment: Stage 2a Settlement: Weston Rhyn

	ref: WRN005	Site Name: Land off Trehowell Lane		
	Criteria	SA Score	Assessment	Comments
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	+	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	 an area of natural and semi-natural open space 	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	 a young people's recreational facility 	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	-	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information	0	0	
	available, in which case, an assessment may be			
	needed)			
E	Landscape sensitivity low Scheduled Ancient Monument within 300m of site	+ -/0	0	
5	boundary	-/0	U	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	ref: WRN005	Site Nam	Site Name: Land off Trehowell Lane			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	0			
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	-	Partly within SAC buffer zone		
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0			
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0			
10	Part of the site is within Flood Zone 3	-				
	All or part of the site is within Flood Zone 2	0	+			
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+				
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3		
12a	Site wholly or partly on a current or previous landfill site	/0	0			
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0			
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0			

Site Assessment: Stage 2a Settlement: Weston Rhyn

	ref: WRN006	Site Nam	ne: Land south	of Vicarage Lane
	Criteria	SA Score	Assessment	
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	-	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	 an area of natural and semi-natural open space 	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	a young people's recreational facility	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	-	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information	0	0	
	available, in which case, an assessment may be			
	needed)			
_	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site ref: WRN006		Site Nam	Site Name: Land south of Vicarage Lane			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	0			
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0			
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0			
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0			
10	Part of the site is within Flood Zone 3	-				
	All or part of the site is within Flood Zone 2 Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	0 +	+			
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3		
12a	Site wholly or partly on a current or previous landfill site	/0	0			
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0			
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0			

Site	Assessment: Stage 2a	Settlement: Weston Rhyn		
Site	ref: WRN008	Site Nam	ne: Land to rea	ar of Earlshaw, High Street
	Criteria	SA Score	Assessment	
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	-	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	 an area of natural and semi-natural open space 	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	a young people's recreational facility	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	+	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site ref: WRN008		Site Name: Land to rear of Earlshaw, High Street		
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	0	
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	-	Fully within SAC buffer zone
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0	
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0	
10	Part of the site is within Flood Zone 3	-		
	All or part of the site is within Flood Zone 2	0	+	
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+		
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3
12a	Site wholly or partly on a current or previous landfill site	/0	0	
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0	
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	+	Previous infill site, 1840- 1897

	Assessment: Stage 2a	Settlement: Weston Rhyn			
Site	ref: WRN010	Site Nan	ne: Land south	of Brookfields and Aspen Grange	
	Criteria	SA Score	Assessment	Comments	
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+		
2	Primary school within 480m of site boundary	-/+	+		
3a	Site wholly or partly within:				
	an allotment	-/0	0		
	a local park or garden	-/0	0		
	 an area of natural and semi-natural open space 	-/0	0		
	an amenity green-space	-/0	0		
	a children's play area	-/0	0		
	a young people's recreational facility	-/0	0		
	an outdoor sports facility	-/0	0		
3b	Site more than 480m from:				
	a local park or garden	-/+	-		
	 an area of natural and semi-natural open space 	-/+	-		
	an amenity green-space	-/+	+		
	a children's play area	-/+	-		
	 a young people's recreational facility 	-/+	-		
4	Landscape sensitivity high ²	-			
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be	0	0		
	needed)		_		
E	Landscape sensitivity low Scheduled Ancient Monument within 300m of site	-/0	0		
5	boundary	-/0	U		
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0		

Site	ref: WRN010	Site Nam	e: Land south	of Brookfields and Aspen Grange
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	0	
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0	
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0	
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0	
10	Part of the site is within Flood Zone 3	-		
	All or part of the site is within Flood Zone 2 Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	0 +	+	
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3
12a	Site wholly or partly on a current or previous landfill site	/0	0	
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0	
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	+	Previous infill site, 1840- 1897

Site	Assessment: Stage 2a	Settlement: Rhoswiel			
Site	ref: WRN012	Site Nam	ne: Land at Pre	eesgweene Railway Crossing	
	Criteria	SA Score	Assessment		
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+		
2	Primary school within 480m of site boundary	-/+	-		
3a	Site wholly or partly within:				
	an allotment	-/0	0		
	a local park or garden	-/0	0		
	an area of natural and semi-natural open space	-/0	0		
	 an amenity green-space 	-/0	0		
	a children's play area	-/0	0		
	a young people's recreational facility	-/0	0		
	an outdoor sports facility	-/0	0		
3b	Site more than 480m from:				
	a local park or garden	-/+	-		
	 an area of natural and semi-natural open space 	-/+	-		
	an amenity green-space	-/+	-		
	a children's play area	-/+	-		
	 a young people's recreational facility 	-/+	-		
4	Landscape sensitivity high ²	-		Moderate	
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0		
	Landscape sensitivity low	+			
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0		
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0		

Site	ref: WRN012	Site Nam	Site Name: Land at Preesgweene Railway Crossing			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World heritage buffer zone		
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0			
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0			
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0			
10	Part of the site is within Flood Zone 3	-				
	All or part of the site is within Flood Zone 2 Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	0 +	+			
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3		
12a	Site wholly or partly on a current or previous landfill site	/0	0			
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	0			
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	+	Wholly a previous industrial site.		

Site	Assessment: Stage 2a		Settlement: Rhoswiel			
Site	ref: WRN014	Site Nan	ne: Land rear o	of Glen Deg		
	Criteria	SA Score	Assessment	Comments		
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+			
2	Primary school within 480m of site boundary	-/+	-			
3a	Site wholly or partly within:					
	an allotment	-/0	0			
	a local park or garden	-/0	0			
	an area of natural and semi-natural open space	-/0	0			
	an amenity green-space	-/0	0			
	a children's play area	-/0	0			
	a young people's recreational facility	-/0	0			
	an outdoor sports facility	-/0	0			
3b	Site more than 480m from:					
	a local park or garden	-/+	-			
	 an area of natural and semi-natural open space 	-/+	-			
	an amenity green-space	-/+	-			
	a children's play area	-/+	-			
	a young people's recreational facility	-/+	-			
4	Landscape sensitivity high ²	-		Moderate		
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0			
	Landscape sensitivity low	+				
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0			
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0			

Site ref: WRN014		Site Nam	Site Name: Land rear of Glen Deg			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World heritage buffer zone		
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	-	Partly within SAC buffer zone		
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0			
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0			
10	Part of the site is within Flood Zone 3	-				
	All or part of the site is within Flood Zone 2	0	+			
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+				
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3		
12a	Site wholly or partly on a current or previous landfill site	/0	0	Within the buffer for current and previous landfill sites.		
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0				
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0			

	Assessment: Stage 2a		Settlement: Rhoswiel			
Site	ref: WRN015		Site Name: Land rear of former DM & Oakley Premises			
	Criteria	SA Score	Assessment	Comments		
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+			
2	Primary school within 480m of site boundary	-/+	-			
3a	Site wholly or partly within:					
	an allotment	-/0	0			
	a local park or garden	-/0	0			
	 an area of natural and semi-natural open space 	-/0	0			
	 an amenity green-space 	-/0	0			
	a children's play area	-/0	0			
	 a young people's recreational facility 	-/0	0			
	an outdoor sports facility	-/0	0			
3b	Site more than 480m from:					
	a local park or garden	-/+	-			
	 an area of natural and semi-natural open space 	-/+	-			
	an amenity green-space	-/+	-			
	a children's play area	-/+	-			
	 a young people's recreational facility 	-/+	-			
4	Landscape sensitivity high ²	-		Moderate		
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0			
	Landscape sensitivity low	+				
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0			
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0			

Site ref: WRN015		Site Nam	Site Name: Land rear of former DM & Oakley Premises		
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World heritage buffer zone	
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	-	Partly within SAC buffer zone	
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0		
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0		
10	Part of the site is within Flood Zone 3	-			
	All or part of the site is within Flood Zone 2	0	+		
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+			
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3	
12a	Site wholly or partly on a current or previous landfill site	/0	0	Small part of site is within current landfill buffer zone	
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	-		
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0		

Site	Assessment: Stage 2a	Settlement: Rhoswiel		
Site	ref: WRN016	Site Nam	ne: Land at the	Sawmills
	Criteria	SA Score	Assessment	Comments
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	-	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	 an area of natural and semi-natural open space 	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	 a young people's recreational facility 	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	-	
	an area of natural and semi-natural open space	-/+	-	
	an amenity green-space	-/+	-	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		Moderate
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be	0	0	
	needed)		_	
E	Landscape sensitivity low	+	0	
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	ref: WRN016	Site Name: Land at the Sawmills			
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World heritage buffer zone	
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0		
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0		
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0		
10	Part of the site is within Flood Zone 3	-			
	All or part of the site is within Flood Zone 2 Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	0 +	+		
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3	
12a	Site wholly or partly on a current or previous landfill site	/0		Parts of site on current and previous landfill site and all of the site falls in the buffer zone for both current and	
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0		previous landfill sites.	
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	+	Previous industrial and infill sites	

Site	Assessment: Stage 2a			Settlement: Rhoswiel
Site	ref: WRN018	Site Nam	ne: Land south	of Mount View, Preesgweene
	Criteria	SA Score	Assessment	· · · · · · · · · · · · · · · · · · ·
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	+	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	an area of natural and semi-natural open space	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	 a young people's recreational facility 	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	-	
	an area of natural and semi-natural open space	-/+	-	
	an amenity green-space	-/+	-	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		Moderate
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	ref: WRN018	Site Nam	e: Land south	of Mount View, Preesgweene
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World heritage buffer zone
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0	
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0	
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0	
10	Part of the site is within Flood Zone 3	-		
	All or part of the site is within Flood Zone 2	0	+	
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+		
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3
12a	Site wholly or partly on a current or previous landfill site	/0	-	Partly on previous landfill site.
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	-	
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	+	Previous industrial site

Site	Assessment: Stage 2a			Settlement: Weston Rhyn
	ref: WRN019	Site Nam	ne: Land rear o	of Station House
	Criteria	SA Score	Assessment	Comments
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	+	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	an area of natural and semi-natural open space	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	 a young people's recreational facility 	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	-	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	a young people's recreational facility	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	ref: WRN019	Site Nam	e: Land rear o	of Station House
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World Heritage Site buffer zone- Pontcysyllte Aqueduct and Canal
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0	
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0	
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0	
10	Part of the site is within Flood Zone 3	-		
	All or part of the site is within Flood Zone 2	0	+	
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+		
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3
12a	Site wholly or partly on a current or previous landfill site	/0	0	
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	-	Wholly within historic landfill buffer zone
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0	

Site	Assessment: Stage 2a			Settlement: Rhoswiel
Site	ref: WRN021	Site Nam	ne: Land north	of Rhoswiel
	Criteria	SA Score	Assessment	Comments
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	-	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	 an area of natural and semi-natural open space 	-/0	0	
	 an amenity green-space 	-/0	0	
	 a children's play area 	-/0	0	
	 a young people's recreational facility 	-/0	0	
	 an outdoor sports facility 	-/0	0	
3b	Site more than 480m from:			Only part of site to the north east
	 a local park or garden 	-/+	-	
	 an area of natural and semi-natural open space 	-/+	-	
	an amenity green-space	-/+	-	
	a children's play area	-/+	+	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		Moderate
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	ref: WRN021	Site Nam	e: Land north	of Rhoswiel
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World heritage buffer zone
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0		Within SAC buffer zone and partly (north eastern corner) within SSSI buffer zone.
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0	
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0	
10	Part of the site is within Flood Zone 3	-		
	All or part of the site is within Flood Zone 2	0	+	
	Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	+		
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3
12a	Site wholly or partly on a current or previous landfill site	/0	0	Partly within current and previous landfill buffer zone
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0		
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	+	Previous industrial and infill site

Site Assessment: Stage 2a Settlement: Weston Rhyn

	Assessment: Stage Za	F		Settlement: Weston Rnyn
Site	ref: WRN025		ne: Land at Silv	verdale
	Criteria	SA Score	Assessment	Comments
1	Bus stop on a route which has a service on 5 or more days, within 480m ¹ of site boundary	-/+	+	
2	Primary school within 480m of site boundary	-/+	+	
3a	Site wholly or partly within:			
	an allotment	-/0	0	
	a local park or garden	-/0	0	
	an area of natural and semi-natural open space	-/0	0	
	an amenity green-space	-/0	0	
	a children's play area	-/0	0	
	a young people's recreational facility	-/0	0	
	an outdoor sports facility	-/0	0	
3b	Site more than 480m from:			
	a local park or garden	-/+	-	
	an area of natural and semi-natural open space	-/+	-	
	an amenity green-space	-/+	+	
	a children's play area	-/+	-	
	 a young people's recreational facility 	-/+	-	
4	Landscape sensitivity high ²	-		
	Landscape sensitivity moderate (or no information available, in which case, an assessment may be needed)	0	0	
	Landscape sensitivity low	+		
5	Scheduled Ancient Monument within 300m of site boundary	-/0	0	
6	Site is wholly or partly within a World Heritage Site or a Conservation Area	/0	0	

Site	ref: WRN025	Site Nam	e: Land at Silv	verdale
	Site either within: a World Heritage Site buffer zone 300m of a Conservation Area 300m of a Registered Park or Garden 	-/0	-	Within World Heritage Site buffer zone- Pontcysyllte Aqueduct and Canal
7	Designated habitat ³ or Regionally Important Geological Site within a buffer zone ⁴ of the site boundary	-/0	0	
8	Tree Preservation Order (either single or group) within the site boundary	-/0	0	
9	Site wholly or partly within an Air Quality Management Area ⁵	-/0	0	
10	Part of the site is within Flood Zone 3	-		
	All or part of the site is within Flood Zone 2 Site is in Flood Zone 1 – i.e. it is not in Zones 2 or 3	0 +	+	
11	Site wholly or partly on grade 1 or 2 or 3 agricultural land (best and most versatile)	-/0	-	Grade 3
12a	Site wholly or partly on a current or previous landfill site	/0	0	
12b	Site within 250m of a current or previous landfill site or would displace an existing waste management operation	-/0	-	Wholly within historic landfill buffer zone
13	Site wholly or partly within an area with a previous industrial or potentially contaminative use	+/0	0	

Notes for Stage 2a assessment

- 1. 480m is the average distance walked in 10 minutes and is derived from the Accessibility Standards set out in Shropshire Council's PPG17 Study.
- 2. Sensitivity assessment based on the relevant Landscape Description Unit in the Shropshire Landscape Character Assessment
- 3. and 4. Designated sites and their buffer zones

Site designation	Buffer zone	Site designation	Buffer zone
Special Area of Conservation	1 km	Regionally Important Geological Site	50 m
Ramsar site	1 km	Wildlife Site	250 m
National Nature Reserve	500 m	Ancient semi-natural woodland	500 m
Site of Special Scientific Interest	500 m	Local Nature Reserve	100 m

5. Air Quality Management Areas have only been declared for Shrewsbury, Bridgnorth and Oswestry

Housing Sites Assessment: Stage 2b

Site Ref: WRN001	Site Name: Land off High Street
Size (ha)	3.81ha
Indicative capacity	95 (based on existing density of 25dph)
General location	The site is location to the north west of the existing settlement, off High
General location	Street.
Brownfield or	Greenfield
Greenfield	Greenileid
Site within a Coal	Within MSA
Authority Referral	Within WOA
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Gentle slope
Adjoining land uses	Residential development to the south and west of the site, with agricultural
and boundary	land to the north and east. The boundaries of the site comprise hedgerow
features	and individual trees.
Local highway	Access acceptable (subject to design & safety criteria)
capacity/ constraints	3
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	Landscape sensitivity medium
character ²	
Cital acte	This site consists of three pasture fields in Weston Rhyn, towards the
	northern edge but with significant development to the west. To the south the
	site is bounded by a line of recent housing development with a raw edge,
	mitigated by the hedges and hedgerow trees on this site. To the west there
	is older housing development, with a distinctive towered former school at the road junction at the north western corner of the site. To the north there is
	some development, including a farm complex/light industrial unit with metal
	sheds, with views beyond to the tree belt which encloses almost the entirety
	of the northern edge of this settlement.
	of the hermann edge of the detailment.
	Housing capacity medium
	There is medium capacity to develop some of this site without serious
	impact on the wider landscape. The western field is bound to the north by
	development and there is development along is western boundary, linking it
	clearly to the settlement. If a line were drawn from the eastern edge of this
	field due south to the boundary of the recent housing development, with
	development contained to the west of this line, there would be some impact
	on the settlement but comparatively little on the wider landscape. Such a
	decision would also preserve the hedgerow trees and hedge which are
	significant mitigators of the impact of recent housing along the southern
	edge of this site on the wider landscape. It would also ensure that there
	would be no closer views of housing development from the graveyard to the
	north.
	Employment capacity low
	There is low capacity for employment development of this site, by reason of
	its location within the settlement and its relationship to the wider landscape,
	where such development would be highly visible.
Planning history or	Outside development boundary
Flaming motory of	

designations	
Land ownership, land	Promoted by Landowner
agreements and	
delivery statements	
Access to	The site is relatively close to a number of services, including; the
services/employment	convenience store, village hall, public house and church.
areas	
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	Appropriate direction of growth
Other relevant	N/A
information	

Comments from interna	al consultees
Heritage	No comments
Biodiversity	The following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts A small part of the site is within the Environmental network and development could offer enhancements opportunities.
Trees	No significant tree or hedgerow constraints.
Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding.
Drainage: Surface water flooding	A very small part of the site (<1%) is susceptible to surface water flooding.
Drainage: Groundwater flooding	25-50% of the site is susceptible to groundwater flooding
Drainage: Suitability for SUDS	This site is suitable for infiltration or attenuation SUDS depending on site characteristics.
Countryside	No comments

Statutory bodies N/A

responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, local park or garden and amenity green space and flood risk. It is negative for access to the primary school, the other three amenities and facilities, proximity to a Special Area of Conservation and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the landscape sensitivity and housing capacity of the site is judged to be medium. The detailed capacity assessment states that the development on the western part of the site would have little impact on the wider landscape and also preserve the hedgerow trees and hedge. The 2b assessment also highlighted that the site is susceptible to groundwater flooding, however this can be mitigated through design.

Conclusion

Potential windfall site	No
Realistic site	Yes- a small allocation, to the western part of this larger area of land could provide an appropriate site to address the parish Council's
	preferred level of growth.

Recommendation	
Preferred option	Yes

Site Ref: WRN004	Site Name: Land between Brooklands and The Rise
Size (ha)	0.78ha
Indicative capacity	20 (based on existing density of 25dph)
General location	The site is located to the western edge of the settlement, off Qunita Road.
Brownfield or Greenfield	Greenfield
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Gentle slope, but rising fairly steeply near north west corner.
Adjoining land uses	Residential development to the north east and east and west of the site, with
and boundary	agricultural land to the north and east. The boundaries of the site comprise
features	hedgerow and individual trees.
Local highway	Access not currently acceptable, however could be easily achievable based
capacity/ constraints	on development scale. Would require localised road widening and improved pedestrian facilities.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	Landscape sensitivity medium
character ²	This site consists of a single rectangular pasture field on the western edge
	of Weston Rhyn. It is in pastoral cultivation, like the surrounding fields, and is separated from the woodland on the edge of Quinta Park by a minor local road. There is one house, The Rise, to the west of the site, outside the settlement, and two houses to the east, accessed from Bronygarth Road. The site slopes gently down to the south and there is a PROW within the next field to the south, from which there are views of the site above a hedge Housing capacity medium/low
	This site has medium/low capacity for housing development as it is located outside the settlement envelope on its western edge in open countryside.
	Employment capacity low
	This site has low capacity for employment development due to its size and location on the settlement edge along a minor road and the proximity to housing and parkland designated ASLC.
Planning history or designations	Outside the settlement boundary
Land ownership, land agreements and delivery statements	Promoted by landowner
Access to	The site is relatively close to a number of services, including; the
services/employment	convenience store, village hall, public house and church.
areas	
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	
Other relevant	N/A

information	
IIIIOIIIIalioII	

Comments from internal consultees	
Heritage	No comments
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts Reptiles. The site is adjacent to the Environmental network and development could offer enhancements opportunities.
Trees	No significant tree or hedgerow constraints.
Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding.
Drainage: Surface water flooding	Around 4% of the site is susceptible to surface water flooding.
Drainage: Groundwater flooding	75% of the site is susceptible to groundwater flooding
Drainage: Suitability for SUDS	This site is suitable for infiltration or attenuation SUDS depending on site characteristics.
Countryside	No comments

Community	Summary results / issues arising from consultations at the Preferred Options
consultation	and Revised Preferred Options stages are set out in the Consultation
response	Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, local park or garden and an amenity green space, landscape sensitivity (which is low) and flood risk. It is negative for access to the primary school, the other three amenities and facilities and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be fair.

The Stage 2b assessment highlights that the site has medium/low capacity for housing development as it is located outside the settlement envelope on its western edge in open countryside. It also highlights that the site is susceptible to groundwater flooding, however this can be mitigated through design.

Conclusion

Potential windfall site	No
Realistic site	Yes- depending on detailed landscape impact assessment

Recommendation

Preferred option	No - development of alternative sites would provide a more logical extension
	of village

Site Ref: WRN005	Site Name: Land off Trehowell Lane
Size (ha)	4.15ha
Indicative capacity	103 (based on existing density of 25dph)
General location	The site is located to the north of the settlement. It is spilt into two areas, separated by Trehowell Lane.
Brownfield or	Greenfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Gentle slope
Adjoining land uses	Residential development to the south and east of the site, with an individual
and boundary	dwelling to the north. Agricultural land to the north and east. The
features	boundaries of the site comprise hedgerow and individual trees.
Local highway	Access not currently acceptable, however could be easily achievable based
capacity/ constraints	on development scale. Would require localised road widening/ junction improvement and improve pedestrian facilities/links.
Other critical	N/A
infrastructure	IN/A
_	
constraints ¹	
Inherent landscape character ²	Landscape sensitivity medium
Citaracter	This site consists of three pasture fields in Weston Rhyn, towards the northern edge but with significant development to the west. To the south the site is bounded by a line of recent housing development with a raw edge, mitigated by the hedges and hedgerow trees on this site. To the west there is older housing development, with a distinctive towered former school at the road junction at the north western corner of the site. To the north there is some development, including a farm complex/light industrial unit with metal sheds, with views beyond to the tree belt which encloses almost the entirety of the northern edge of this settlement.
	Housing capacity medium
	There is medium capacity to develop some of this site without serious impact on the wider landscape. The western field is bound to the north by development and there is development along is western boundary, linking it clearly to the settlement. If a line were drawn from the eastern edge of this field due south to the boundary of the recent housing development, with development contained to the west of this line, there would be some impact on the settlement but comparatively little on the wider landscape. Such a decision would also preserve the hedgerow trees and hedge which are significant mitigators of the impact of recent housing along the southern edge of this site on the wider landscape. It would also ensure that there would be no closer views of housing development from the graveyard to the north. Employment capacity for employment development of this site, by reason of
	There is low capacity for employment development of this site, by reason of its location within the settlement and its relationship to the wider landscape, where such development would be highly visible.
Planning history or	Outside of development boundary

designations	
Land ownership, land	Promoted by Landowner
agreements and	
delivery statements	
Access to	The site is centrally located in the settlement and as such is fairly well
services/employment	related to all the services and facilities contain therein.
areas	
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	Appropriate direction of growth.
Other relevant	N/A
information	

Comments from internal consultees	
Heritage	No comments
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Reptiles The site is within the Environmental network and development could offer enhancements opportunities.
Trees	No significant tree or hedgerow constraints.
Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding. However, there has been one report of flooding to the Flood Forum
Drainage: Surface water flooding	A very small part of the site (<1%) is susceptible to surface water flooding.
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments

Community consultation	Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation
response	Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, the primary school and an amenity green space and flood risk. It is negative for access to the other four amenities and facilities, proximity to SAC and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the landscape sensitivity and housing capacity of the site is judged to be medium. The detailed capacity assessment states that the development on the western part of the site would have little impact on the wider landscape and also preserve the hedgerow trees and hedge. It also highlights that the site is susceptible to groundwater flooding, however this can be mitigated through design.

Conclusion

Potential windfall site	No
Realistic site	Yes- part of the site would be appropriate, depending on a detailed
	landscape assessment

Recommendation

Roodiniionaanon	
Preferred option	No

Site Ref: WRN006	Site Name: Land south of Vicarage Lane
Size (ha)	2.14ha
Indicative capacity	103 (based on existing density of 25dph)
General location	The site is located to the south of the settlement off Vicarage Lane.
Brownfield or Greenfield	Greenfield
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Flat
Adjoining land uses	Residential development to the north and north west of the site, with
and boundary	agricultural land to the east, south and west. The boundaries of the site
features	comprise hedgerow and individual trees.
Local highway	Access not currently acceptable, however could be easily achievable based
capacity/ constraints	on development scale. Would require localised road widening and improved
	pedestrian facilities/links.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside of development boundary
designations	
Land ownership, land	Promoted by Landowner
agreements and	
delivery statements	The site is valetically along to a growth as of complete including the
Access to	The site is relatively close to a number of services, including; the
services/employment	convenience store, village hall, public house and church.
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	This direction of growth would extend the settlement to the south, against
	the current trend of growth.
Other relevant	N/A
information	

Comments from internal consultees	
Heritage	No comments
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Great Crested Newts
Trees	No significant tree or hedgerow constraints.
Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding. However, there has been one report of flooding to the Flood Forum and one historical flood event.
Drainage: Surface	Around 1% of the site is susceptible to surface water flooding.
water flooding	
Drainage:	75% of the site is susceptible to groundwater flooding

Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments

Community	Summary results / issues arising from consultations at the Preferred Options
consultation	and Revised Preferred Options stages are set out in the Consultation
response	Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, an amenity green space and flood risk. It is negative for access to the primary school, the other four amenities and facilities and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be fair.

The Stage 2b assessment highlights that the site is partial susceptible to groundwater flooding, however this can be mitigated through design. There are no known constraints in respect to heritage, biodiversity, trees, and highways. It is noted that development of the site would extend the settlement to the south against the current settlement form and therefore development could have wider landscape impacts.

Conclusion

Potential windfall site	No
Realistic site	Yes- depending on landscape impact

Recommendation

Preferred option	No-development of alternative sites would provide a more logical extension
	of village.

Site Ref: WRN008	Site Name: Land to rear of Earlshaw, High Street
Size (ha)	0.27ha
Indicative capacity	6 (based on existing density of 25dph)
General location	The site is located on the northern edge of the settlement, off High Street.
Brownfield or Greenfield	Brownfield
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	
Topography	Flat
Adjoining land uses and boundary features	Residential development to the west of the site, with agricultural land to the north, east and south. The boundaries of the site comprise hedgerow and individual trees.
Local highway capacity/ constraints	Access not currently acceptable, however could be easily achievable based on development scale. Would require enhancement of pedestrian facilities/links to and from the site.
Other critical infrastructure constraints ¹	N/A
Inherent landscape character ²	No site specific assessment, but highlighted as having moderate sensitivity in stage 2a
Planning history or designations	Outside of development boundary
Land ownership, land agreements and delivery statements	Promoted by Landowner
Access to services/employment areas	The site is located off the high street and is relatively close to a number of services, including; the convenience store, village hall, public house and church.
Other constraints	N/A
General site related benefits	N/A
Strategic fit	This direction of growth would extend the settlement to the south, against the current trend of growth.
Other relevant information	N/A

Comments from internal consultees	
Heritage	No comments
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts The site is within the Environmental network and development could offer enhancements opportunities.
Trees	No significant tree or hedgerow constraints.
Public Protection	No comments

Drainage:	The site is not at risk from watercourse flooding.
Watercourse flooding	
Drainage: Surface	The site is not susceptible to surface water flooding.
water flooding	
Drainage:	25-50% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments

Community	Summary results / issues arising from consultations at the Preferred Options
consultation	and Revised Preferred Options stages are set out in the Consultation
response	Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, a local park or garden, amenity green space, flood risk and potential for land remediation of previous contaminative use. It is negative for access to the primary school, the other three amenities and facilities, proximity to SAC and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be fair.

The Stage 2b assessment highlights that the site is partial susceptible to groundwater flooding, however this can be mitigated through design. There are no known constraints in respect to heritage, biodiversity, trees, and highways.

Conclusion

Potential windfall site	No- could extend existing boundary to accommodate site
Realistic site	Yes

Recommendation

Preferred option	No

Site Ref: WRN010	Site Name: Land south of Brookfields and Aspen Grange
Size (ha)	2.94ha
Indicative capacity	73 (based on existing density of 25dph)
General location	The site is located the south of the settlement off Aspen Grange.
	The same is a second and second a
Brownfield or	Greenfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area Current use	Crozing
Topography	Grazing Flat
Adjoining land uses	Residential development to the north of the site, with agricultural land to the
and boundary	east and south and a recreational ground to the south west. The boundaries
features	of the site comprise hedgerow and individual trees.
Local highway	Access via Aspen Grange is not currently acceptable, however this could be
capacity/ constraints	easily achievable based on development scale. Potential access link through WRN007.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	Landscape sensitivity medium
character ²	
	The site is a low lying pasture on the southern edge of the settlement with the recreation ground to the west. The eastern part of the site lies within the 100 year floodplain of the small watercourse on the site. This is separated from the area to the west by a small bank/bund. There are a few mature trees on the eastern and southern boundaries and the southern boundary is an outgrown, thin hedge through which the settlement edge can be seen [in winter]. Other boundaries are low cut hedges which allow views towards the site and settlement edge. The site is overlooked by the adjacent housing and by users of the recreation ground and nearby PROW with longer views available from this direction. The road to the south has views across the site but the lane to the east has no apparent views due to landform. The floodplain area is sensitive and the site clearly extends south of the settlement beyond other development with only limited screening vegetation.
	Housing capacity medium/low
	The site has limited, preferably no, capacity for housing as it would impinge on a floodplain and it would clearly extend the settlement south of its existing line with no screening to the south west and a thin boundary to the south. Incremental development in this location may not serve the goal of achieving positive overall settlement character.
	Employment capacity low
	The site has no capacity for employment use as it would impinge on a floodplain and it would clearly extend the settlement south of its existing line with no screening to the south west and a thin boundary to the south. It would also be located adjacent to and overlooked by housing and accessed through housing.

Planning history or	Outside of development boundary
designations	
Land ownership, land	Promoted by Landowner
agreements and	
delivery statements	
Access to	The site is close to the primary school and recreational facilities.
services/employment	
areas	
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	This direction of growth would extend the settlement to the south, against
	the current trend of growth.
Other relevant	N/A
information	

Comments from interna	Comments from internal consultees	
Heritage	Site c50m north of a possible prehistoric enclosure - archaeological	
	assessment and possibly evaluation necessary prior to submission.	
Biodiversity	The following surveys will be needed before development could commence;	
	Extended Phase 1	
	■ Bats	
	The site has potential for environmental network enhancement.	
Trees	No significant tree or hedgerow constraints.	
Public Protection	No comments	
Drainage:	The site is not at risk from watercourse flooding. However, there has been	
Watercourse flooding	one historical flood event.	
Drainage: Surface	Around 34% of the site is susceptible to surface water flooding.	
water flooding		
Drainage:	75% of the site is susceptible to groundwater flooding	
Groundwater flooding		
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site	
for SUDS	characteristics.	
Countryside	No comments	
Environment Agency	Additional up-to-date information regarding the potential risk of flooding on	
	this site can be found in the Strategic Flood Risk Assessment (2014)	
	prepared by CH2M. This indicates that the risk of flooding from this site is	
	low or can be managed appropriately.	

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Two potential sites were identified and the majority, including the Parish Council, preferred this site because it benefits from direct access and is closer to village services and the adjacent recreation space. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies responses to date	N/A

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, the primary school, an amenity green space, flood risk and potential for land remediation of previous contaminative use. It is negative for access to the other four amenities and facilities and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be good.

The Stage 2b assessment highlights that the housing capacity of the site is judged to be medium/low, due to impingement on the floodplain and lack of screening. The site is well located to the services and facilities in the settlement and access can be made acceptable via Aspen Grange. The 2b assessment also highlighted that the site is susceptible to surface and groundwater flooding; however this can be mitigated through design.

Conclusion

Preferred option

Potential windfall site	No
Realistic site	Yes- a small allocation within this larger area of land could provide an appropriate site to address the parish Council's preferred level of growth. The landscape impact to the south of the site will need to be carefully considered.

Recommendation

Yes

Site Ref: WRN012	Site Name: Land at Preesgweene Railway Crossing
Size (ha)	0.25ha
Indicative capacity	4 (based on existing density of 18dph)
General location	The site is located to the west of the main settlement and north of Station
	Road, which is the main arterial road through the village.
Brownfield or	Brownfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Industrial
Topography	Flat
Adjoining land uses	Residential development to the south east and south west of the site, with
and boundary	industrial site to the north and the railway line running along the west
features	boundary. The boundaries of the site comprise hedgerow, individual trees
	and fencing.
Local highway	Access may be challenging next to level crossing, would require a detailed
capacity/ constraints	assessment of proposed access.
Other critical	N/A
infrastructure	IV/A
constraints ¹	
	No site an estimate and the state of the site of the s
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside the development boundary
designations	
Land ownership, land	Promoted by landowner
agreements and	
delivery statements	
Access to	
services/employment	
Other constraints	Delivery line was also saids western beyondow, and industrial was to the
Other constraints	Railway line runs alongside western boundary and industrial uses to the
General site related	north, which could create noise issues. N/A
benefits	IV/A
Strategic fit	Redevelopment of brownfield site is supported.
	·
Other relevant	N/A
information	

Comments from internal consultees	
Heritage	Site located on former colliery site
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts Reptiles. The site is adjacent to the Environmental network and development could offer enhancements opportunities, particularly on the west boundary, where a buffer zone would be required.

Trees	Trees & hedgerows will be a minor constraint.
Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding. However, there has been one report of flooding to the Flood Forum
Drainage: Surface water flooding	The site is not susceptible to surface water flooding.
Drainage: Groundwater flooding	75% of the site is susceptible to groundwater flooding
Drainage: Suitability for SUDS	This site is suitable for infiltration or attenuation SUDS depending on site characteristics.
Countryside	No comments

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, flood risk and potential for land remediation of previous contaminative use. It is negative for access to primary school, all five amenities and facilities, proximity to a World Heritage site and agricultural land quality. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the site has significant highway constrains, due to the location of the level crossing, and a detailed assessment would be required in order to establish if development would be acceptable. The assessment also highlights that consideration of trees, hedgerows and the environmental network would be required. The site is also susceptible to groundwater flooding, however this can be mitigated through design.

Conclusion

Potential windfall site	No
Realistic site	No- further detailed assessment of highway access would be required, due to the location of the level crossing. Consideration of environmental constrains would also be required.

Noodimionation	
Preferred option	No

Site Ref: WRN014	Site Name: Land rear of Glen Deg
Size (ha)	0.81ha
Indicative capacity	14 (based on existing density of 18dph)
General location	The site is located directly to the north of the main settlement, behind an
General location	existing residential frontage on Station Road.
Brownfield or	Greenfield
Greenfield	Greenwar
Site within a Coal	Within MSA
Authority Referral	Within Mort
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Gentle slope
Adjoining land uses	Residential development to the south and east, with agricultural land to the
and boundary	north and west. The boundaries of the site comprise hedgerow and trees.
features	The farth and the sear dame of the election place he agencia and the election
Local highway	No suitable access on site, would therefore have to have access via
capacity/ constraints	WRN013. Contributions to local highway improvements would also be
, , , , , , , , , , , , , , , , , , , ,	necessary.
	,
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	Landscape sensitivity medium
character ²	
	This site consists of a single pasture field in Rhoswiel (Weston Rhyn) in a small area between the railway and the Llangollen Canal on the northern edge of this linear settlement. There is a pronounced knoll on the northern part of the site although generally the landform slopes gently down towards the canal, beyond housing. There is a single farmhouse along a track to the north and to the east and south of the site there is recent housing
	development. Housing capacity high/medium
	This site has high/medium capacity for housing development as it is well screened from all directions partly by settlement, with reasonable access. There are filtered views into the site from the PROW to the north, but there are no views to the canal. However, housing/building on the knoll should be avoided as this would be potentially prominent.
	Employment capacity low
	This site has low capacity for employment development due to the relatively small scale of the site, the proximity of recent housing development, limited access and the site's location on the northern edge of the settlement.
Planning history or designations	Outside the development boundary
Land ownership, land agreements and delivery statements	Promoted by landowner
Access to services/employment	
areas	

Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	Would create backland development.
Other relevant	N/A
information	

Comments from interna	al consultees
Heritage	Within World Heritage Site Buffer Zone.
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts Reptiles. A small section of the site is within the Environmental network and development could offer enhancements opportunities.
Trees	No significant tree or hedgerow constraints
Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding. However, there has been one report of flooding to the Flood Forum and two historical flooding events.
Drainage: Surface water flooding	The site is not susceptible to surface water flooding.
Drainage: Groundwater flooding	75% of the site is susceptible to groundwater flooding
Drainage: Suitability for SUDS	This site is suitable for infiltration or attenuation SUDS depending on site characteristics.
Countryside	No comments
Community	At Preferred Options stage, Weston Rhyn Parish Council advised that they

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport and flood risk. It is negative for access to the primary school, all five amenities and facilities, proximity to a World Heritage site and SAC, agricultural land quality and location within a current and historic landfill buffer zone. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the site has high/medium capacity for housing development as it is well screened. However it also highlights significant highway constrains, as there is no suitable access through the site and therefore development would require access from another site. The site is also susceptible to groundwater flooding, however this can be mitigated through design.

Conclusion

Potential windfall site	No
Realistic site	No- would require further information about possible access to site and
	agreement of the parties involved.

Recommendation	
Preferred option	No

Site Ref: WRN015	Site Name: Land rear of former DM & Oakley Premises
Size (ha)	0.58ha
Indicative capacity	10 (based on existing density of 18dph)
General location	The site is located directly to the north east of the main settlement, behind
	existing residential developments of Holy Grove and Wharf Cottages.
Brownfield or	Greenfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	N/A
Topography	Gentle slope
Adjoining land uses	Residential development to the south, with agricultural land to the north and
and boundary	west and the canal running along the sites eastern boundary. The
features	boundaries of the site comprise hedgerow and trees.
Local highway	No suitable access on site, would therefore have to have access via
capacity/ constraints	WRN013. Contributions to local highway improvements would also be
	necessary.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside the development boundary
designations	Subject the development boundary
Land ownership, land	Promoted by landowner
agreements and	Tromotod by faildowner
delivery statements	
Access to	
services/employment	
areas	
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	
Other relevant	N/A
information	

Comments from it	Comments from internal consultees	
Heritage	Within World Heritage Site Buffer Zone and adjacent to Llangollen canal	
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts Water Voles Otter The eastern boundary of the site is within the environmental network and boundaries should be buffered and enhanced.	
Trees	Trees and hedgerows will be a limiting (moderate) constraint.	

Public Protection	No comments
Drainage: Watercourse flooding	The site is not at risk from watercourse flooding. However, there has been one report of flooding to the Flood Forum.
Drainage: Surface water flooding	Less than 1% of the site is susceptible to surface water flooding.
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments

Community	At Preferred Options stage, Weston Rhyn Parish Council advised that they
Consultation	would like to designate the whole parish as a Community Cluster for about
response	50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport and flood risk. It is negative for access to the primary school, all five amenities and facilities, proximity to a World Heritage site and SAC, agricultural land quality and location within a current landfill buffer zone. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights significant highway constrains, as there is no suitable access through the site and therefore development would require access from another site. The site is also susceptible to groundwater flooding, however this can be mitigated through design. Consideration of the impact of development on trees, hedgerow and the environmental network would be necessary.

Conclusion

Potential windfall site	No
Realistic site	No- would require further information about possible access to site and
	agreement of all parties.

Preferred option	No

Site Ref: WRN016	Site Name: Land at the Sawmills
Size (ha)	2.86ha
Indicative capacity	51 (based on existing density of 18dph)
General location	The site is located to the south east of the main settlement,
Brownfield or Greenfield	Brownfield
Site within a Coal Authority Referral Area or a Mineral Safeguarding Area	Within MSA
Current use	Industrial
Topography	Flat
Adjoining land uses and boundary features	Residential development to the south, with agricultural land to the north and west and the canal running along the sites eastern boundary. The boundaries of the site comprise hedgerow and trees.
Local highway capacity/ constraints	Access not currently acceptable, however could be easily achievable based on development scale.
Other critical infrastructure constraints ¹	N/A
Inherent landscape character ²	No site specific assessment, but highlighted as having moderate sensitivity in stage 2a
Planning history or designations	Outside the development boundary
Land ownership, land agreements and delivery statements	Promoted by landowner
Access to services/employment areas	
Other constraints	N/A
General site related benefits	N/A
Strategic fit	
Other relevant information	Initial preliminary assessments on ecology, drainage and highways have been submitted by the land promoters.

Comments from internal consultees	
Heritage	Site adjacent to Llangollen canal
Biodiversity	The following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts Water voles Reptiles The site is within the catchment of the Environmental network and could offer enhancements opportunities. Retention of the green corridor through site is required.
Trees	Trees and hedgerows will be a limiting (moderate) constraint.
Public Protection	No comments

Drainage: Watercourse flooding	The site is not at risk from watercourse flooding. However, there has been two historical records of flooding.
Drainage: Surface water flooding	Around 8% of the site is susceptible to surface water flooding.
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments
Environment Agency	Additional up-to-date information regarding the potential risk of flooding on this site can be found in the Strategic Flood Risk Assessment (2014)
	prepared by CH2M. This indicates that the risk of flooding from this site is low or can be managed appropriately.

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Whilst the Parish Council support the allocation of this brownfield site there are a range of concerns from the local community regarding the scale of development proposed and the potential for adverse impacts on the adjacent canal. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies responses to date	N/A

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, flood risk and potential for land remediation, which was previously used for industry. It is negative for access to the primary school, all five amenities and facilities, proximity to a World Heritage site, agricultural land quality and location within a current and historic landfill site and buffer zone. All other objectives are neutral. The overall sustainability of the site is thus judged to be fair.

The Stage 2b assessment highlights that access for the site can be made acceptable via Station Road. The assessment also highlighted that the site is susceptible to groundwater flooding; however this can be mitigated through design. Carefully consideration of the impact for the Llangollen canal and existing green corridor will be required.

Conclusion

Potential windfall site	No
Realistic site	Yes- a small allocation within this larger area of land could provide an
	appropriate site to address the parish Council's preferred level of growth.

110001111101111111111111111111111111111	
Preferred option	Yes

Site Ref: WRN018	Site Name: Land south of Mount View, Preesgweene
Size (ha)	0.32ha
Indicative capacity	5 (based on existing density of 18dph)
General location	The site is located to the western edge of the settlement, off station road
	and adjacent to the railway.
Brownfield or	Brownfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Industrial
Topography	Flat
Adjoining land uses	Residential and industrial development to the north, individual dwelling to
and boundary	the east and the railway along the sites western boundary. The boundaries
features	of the site comprise hedgerow and trees.
Local highway	Access may be challenging next to level crossing, would require more
capacity/ constraints	detailed assessment of access.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside the development boundary
designations	Outside the development boundary
Land ownership, land	Promoted by landowner
agreements and	Tromotod by fandowner
delivery statements	
Access to	
services/employment	
areas	
Other constraints	Railway line runs alongside western boundary
General site related	N/A
benefits	
Strategic fit	
Other relevant	N/A
information	

Comments from internal consultees	
Heritage	Site located adjacent to former colliery site
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats The site is adjacent to the environmental network and development could offer enhancements opportunities. The trees should also be retained on site.
Trees	Trees & hedgerows will be a minor constraint.
Public Protection	No comments

Drainage:	The site is not at risk from watercourse flooding. However, there has been
Watercourse flooding	one report of flooding on the flood forum.
Drainage: Surface	The site is not susceptible to surface water flooding.
water flooding	
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, the primary school, flood risk and the potential for land remediation. It is negative for access to all five amenities and facilities, proximity to a World Heritage site, agricultural land quality and location on a historic landfill site. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the site has significant highway constrains, due to the location of the level crossing, and a detailed assessment would be required in order to establish if development would be acceptable. The assessment also highlights that the impact to the former colliery site and trees and hedgerow located on site will need to be considered.

Conclusion

Potential windfall site	No
Realistic site	No- further detailed assessment of highway access would be required, due
	to the location of the level crossing.

Preferred option	No

Site Ref: WRN019	Site Name: Land rear of Station House
Size (ha)	0.23ha
Indicative capacity	5 (based on existing density of 25dph)
General location	The site is located the east of the settlement off Station Road.
Brownfield or	Brownfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Industrial
Topography	Relatively flat
Adjoining land uses	Residential development to the north and west of the site, with agricultural
and boundary	land to the south and the railway to the east. The boundaries of the site
features	comprise hedgerow and individual trees.
Local highway	Access may be challenging next to level crossing, would require
capacity/ constraints	improvements to current access to make it acceptable.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside of development boundary
designations	
Land ownership, land	Promoted by Landowner
agreements and	
delivery statements	The effection will relate date the profession of the first control of the control
Access to	The site is well related to the primary school.
services/employment	
areas Other constraints	Delluses lie a muse alongaide supetame have dame
Other constraints	Railway line runs alongside western boundary
General site related benefits	N/A
Strategic fit	
•	NI/A
Other relevant information	N/A
แบบเแสนอก	

Comments from internal consultees	
Heritage	Site located adjacent to former colliery site
Biodiversity	The site consists of a Braodleaved wood, and is within the environmental
-	network. Consider not taking forward.
Trees	Trees and hedgerows will be a significant constraint
Public Protection	No comments
Drainage:	The site is not at risk from watercourse flooding. However, there has been
Watercourse flooding	one report of flooding to the Flood Forum
Drainage: Surface	Around 37% of the site is susceptible to surface water flooding.
water flooding	
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site

for SUDS	characteristics.
Countryside	No comments
Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary

results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.

Site Assessment Summary

N/A

Statutory bodies

responses to date

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, the primary school, an amenity green space and flood risk. It is negative for access to the other four amenities and facilities, proximity to a World Heritage site, agricultural land quality and location within historic landfill buffer zone. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the site has significant constraints in relation to highways, heritage, biodiversity and trees. In terms of the sites location, it is located to the east of the settlement and development of the site could lead to a further coalescence of the settlements of Weston Rhyn and Rhoswiel.

Conclusion

Potential windfall site	No
Realistic site	No- significant highways and environment constraints

recommendation	
Preferred option	No

Site Ref: WRN021	Site Name: Land north of Rhoswiel
Size (ha)	22.87ha
Indicative capacity	571 (based on existing density of 18dph)
General location	The site is located to the north of the settlement, off station road.
Brownfield or Greenfield	Greenfield
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Gentle slope
Adjoining land uses	Residential and industrial development to the east, residential development
and boundary	to the south and agricultural land to the north and west. The boundaries of
features	the site comprise hedgerow and trees.
Local highway	Access may be challenging next to level crossing, would require more
capacity/ constraints	detailed assessment of access.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside the development boundary
designations	
Land ownership, land	Promoted by landowner
agreements and	
delivery statements	
Access to	
services/employment	
areas	
Other constraints	Railway line runs alongside western boundary
General site related benefits	N/A
Strategic fit	
<u> </u>	NI/A
Other relevant information	N/A

Comments from inte	Comments from internal consultees	
Heritage	Within World Heritage Site Buffer Zone and may affect setting of Berlland Farm (Grade II LB). Includes course of former mineral railway archaeological assessment and possibly evaluation necessary prior to submission.	
Biodiversity	There are no known protected species on site. However the following surveys will be needed before development could commence; Extended Phase 1 Bats Great Crested Newts The site is within the Environmental network and development could offer enhancements opportunities. Consideration of the pond and watercourse running along eastern boundary will be required.	
Trees	Trees & hedgerows will be a minor constraint.	
Public Protection	No comments	

Drainage:	The site is not at risk from watercourse flooding. However, there has been
Watercourse flooding	one report of flooding on the flood forum.
Drainage: Surface	The site is not susceptible to surface water flooding.
water flooding	
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site
for SUDS	characteristics.
Countryside	No comments

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies	N/A
responses to date	

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, a children's play area, flood risk and the potential for land remediation. It is negative for access to the primary school, the four other amenities and facilities, proximity to a World Heritage site, SAC and SSSI, agricultural land quality and location within a historic landfill site buffer zone. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the site has significant constraints in relation to highways; heritage and biodiversity. Careful consideration of the impact on listed buildings, world heritage site and environmental network would be required.

Conclusion

Potential windfall site	No
Realistic site	No- significant site constraints in relation to; access; heritage and the environment.

Preferred option	No

Site Ref: WRN025	Site Name: Land at Silverdale
Size (ha)	1.65ha
Indicative capacity	41 (based on existing density of 25dph)
General location	The site is located the east of the settlement off Station Road.
Brownfield or	Greenfield
Greenfield	
Site within a Coal	Within MSA
Authority Referral	
Area or a Mineral	
Safeguarding Area	
Current use	Grazing
Topography	Relatively flat
Adjoining land uses	Residential development to the north of the site, with agricultural land to the
and boundary	east and south. The boundaries of the site comprise hedgerow and
features	individual trees.
Local highway	Access not currently acceptable, however could be easily achievable based
capacity/ constraints	on development scale. Would require improved pedestrian facilities.
Other critical	N/A
infrastructure	
constraints ¹	
Inherent landscape	No site specific assessment, but highlighted as having moderate sensitivity
character ²	in stage 2a
Planning history or	Outside of development boundary
designations	
Land ownership, land	Promoted by Landowner
agreements and	
delivery statements	
Access to	The site is well related to the primary school.
services/employment	
areas	
Other constraints	N/A
General site related	N/A
benefits	
Strategic fit	
Other relevant	N/A
information	

Comments from internal consultees	
Heritage	Site includes part of former colliery site
Biodiversity	The site consists of a Broadleaved wood, and is within the environmental
	network.
Trees	Trees & hedgerows will be limiting (moderate) constraint
Public Protection	No comments
Drainage:	The site is not at risk from watercourse flooding.
Watercourse flooding	
Drainage: Surface	Around 1% of the site is susceptible to surface water flooding.
water flooding	
Drainage:	75% of the site is susceptible to groundwater flooding
Groundwater flooding	
Drainage: Suitability	This site is suitable for infiltration or attenuation SUDS depending on site

for SUDS	characteristics.
Countryside	No comments

Community consultation response	At Preferred Options stage, Weston Rhyn Parish Council advised that they would like to designate the whole parish as a Community Cluster for about 50-100 houses. Subsequent consultation at Revised Preferred Options stage indicated that a small majority, including the Parish Council, would support the allocation of a site for 25 dwellings in Weston Rhyn. Summary results / issues arising from consultations at the Preferred Options and Revised Preferred Options stages are set out in the Consultation Statement.
Statutory bodies responses to date	N/A

Site Assessment Summary

The Stage 2a assessment (sustainability appraisal) is positive for access to bus transport, the primary school, an amenity green space and flood risk. It is negative for access to the other four amenities and facilities, proximity to a World Heritage site, agricultural land quality and location within historic landfill buffer zone. All other objectives are neutral. The overall sustainability of the site is thus judged to be poor.

The Stage 2b assessment highlights that the site has significant environmental constraints, with the presence of a broadleaved wood on the site and its location within the environmental network. The assessment also highlighted that the site is also susceptible to surface water flooding, although this can be mitigated through design. In terms of the sites location, it is located to the east of the settlement and development of the site could lead to a further coalescence of the settlements of Weston Rhyn and Rhoswiel.

Conclusion

Potential windfall site	No
Realistic site	No- Environmental constraints of site could prevent development.

Recommendation

Preferred option	No

Notes for Stage 2b assessment:

- 1. Information on critical infrastructure is only available for the Market Towns and Key Centres at this stage. However, the Water Cycle Study (June 2010) covered Local Centres as well as the Market Towns and Key Centres and information from this has been incorporated where relevant.
- 2. The five predecessor District Councils each commissioned Landscape Sensitivity and Capacity studies for a selection of sites in their area. The Stage 2a Site Assessment drew on the Shropshire Landscape Character information on a strategic level. Where available, the site specific information has been used to inform this Stage 2b Assessment.